Please type a plus sigi) (+) inside this box →
-------------------------	-------------------------

Approved for use through 9/30/98 OMB 0651 003.

		> '	■ Patent and	Trademark Office	US DEPARTM	ENT OF COMMERC
ler the Paperwork Reduction Act of 199	35 iño person	is are required to res	pond to a collection of	information unless	of displays a vali	at OMB control or oil
					in displays a van	O CHILD CONTOUND IN

à	=	J.C
9		8
<u>6</u>		0
60		C
0		W
0		_
		P

NEW UTILITY PATENT APPLICATION TRANSMITTAL

(to be used for new applications only)

Attorney Docket Number			
First Named Inventor	As HOK	۱۲.	SHUKLA
Total Pages in this Submission	Text 1	6 Pa	ges

Notice Checklist it section construct a MPEP Sections 506.	PLICATION ELE tems mentioned unde new utility patent app 601, (37CFR 1 77 1 1 tion regarding complete	er Application El plication Please i 53, 35 USC 111 11	refer to 2 113)	ACCOMPANYING APPLICATION PARTS			
1. Fee	Transmittal Form (pi	rescribed filing fee	∋(s))	6.	Assignment Pap	ers	0.8 10 10 10 10
2. Specification	of the Invention			7.	Certified Copy of (if foreign priority	Priority Document(s)	C538
	ss References to Rel	lated Applications	;	8.	Computer Progr	am in Microfiche	
State Rese	ement Regarding Fereign Regarding Regard	derally-sponsored (if applicable)	t	9.	English Translat	ion Document (if applic	able)
1 1	rence to Microfiche / plicable)	Appendix		10.	Information Disc Statement/PTO-		
Back	ground of the Inven	tion		11.	Petition Checklis	t and Accompanying P	etition
Brief	Summary of the Inv	rention		12. Preliminary Amendment			
	f Description of the E rawings filed)	Drawings		13. Proprietary Information			
Deta	iled Description			14. Return Receipt Postcard			
Clair	m or Claims			15. Small Entity Statement			
Abst	ract of the Disclosure	e .		16. Additional Enclosures (please identify below).			pelow).
	ving(s) (when necess SC 113)	sary as prescribed	d by				
4. Exec	uted Declaration	•					
	quence Submission e, all must be include	∍ d)		SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		AGENT	
Paper Copy			or Individual name		KLA		
Computer Readable Copy Statement Verifying Identical Paper and			Signature				
Computer Readable Copy			Date 6/7/00				
	FOR OFFICIAL U			SE ONLY			
Application Number			Class			Independent Claims	
Date of Receipt	Application Type		GAU			Total Claims	
	Filing Date		Foreign	Filing License?		Drawing Sheets	
	Small Entity		Foreign	Address?		Special Handling?	

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington. DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.



Under the Paperwork Reduction Act of 19	95, no persone are requir	Patent and Tracema ed to respond to a collection of informat	rik Office, U.S. DĚPARTMENT OF COMI non uniess it displays a valid OMB control i
VERIFIED STATEMENT ((37 CFR 1.9(f) & 1.27(b))-	CLAIMING SMA	LL ENTITY STATUS	Docket Number (Optiona
Applicant or Patentee: A S	HOIC IC.	SHUKLA	
Application or Patent No.:	sew ap	Micalim	
Filed or Issued:	7100	-	
Title: INCISION	BASED	FILTRATION /	SEPARATION PIPETTE T
		/	PIPETTE T
As a below named inventor, I he 1.9(c) for purposes of paying real	ereby declare that I duced fees to the P	qualify as an independent inv atent and Trademark Office d	rentor as defined in 37 CFR lescribed in:
the specification filed her			
the application identified			
the patent identified abov	/e .		
I have not assigned, granted, coi grant, convey, or license, any righ under 37 CFR 1.9(c) if that perso business concern under 37 CFR Each person, concern, or organia obligation under contract or law to	on had made the in 1.9(d) or a nonprof zation to which I ha	oany person who would not quivention, or to any concern who it organization under 37 CFR	ralify as an independent inventor ich would not qualify as a small 1.9(e).
congenion under contract of law t	to assign, grant, co	invey, or license any rights in t	the invention is listed below:
No such person, concert Each such person, conce			
	on, or organization	i is nated Delow.	
Separate verified statements are r invention averring to their status a	required from each is small entities. (3)	named person, concern, or or 7 CFR 1.27)	ganization having rights to the
I acknowledge the duty to file, in the entitlement to small entity status maintenance fee due after the date	Drior to naving At	' at the time of naving the co	seliant of the increase of
I hereby declare that all statements information and belief are believed willful false statements and the like of Title 18 of the United States Coapplication, any patent issuing the	to be true, and turm e so made are punis ode, and that such reon, or any patent	er that these statements were hable by fine or imprisonmen willful false statements may	made with the knowledge that t, or both, under section 1001
NAME DE INVENTOR			
1)	NAMEOFINVENT	OR N	AME OF INVENTOR
Signature of inventor	Signature of invent	tor Sig	nature of inventor
Date	Date	Dat	le

PTC/SB/09 (10-96)
Approved for use through 10/31/99 OMB 0551-003*
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCS
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a vaid OMB control number

VERIFIED STATEMENT C (37 CFR 1.9(f) & 1.27(b))-	LAIMING SMALL ENTITY STATUS INDEPENDENT INVENTOR	Docket Number (Optional)
Applicant or Patentee: AS	HOIC K. SHUKLA e	hal.
	rew appliation	
Filed or Issued: 6 3	100	-
Title: MCISION	BASED FILTRATION/	SEPASATION PIPETTE TIP
As a below named inventor, I he 1.9(c) for purposes of paying red	reby declare that I qualify as an independent i duced fees to the Patent and Trademark Office	nventor as defined in 37 CFR e described in:
the specification filed here	ewith with title as listed above.	
the application identified a	above.	
the patent identified above	е.	
under 37 CFR 1.9(c) if that perso	nveyed, or licensed, and am under no obligations in the invention to any person who would not in had made the invention, or to any concern with the invention, or to any concern with the invention or to any concern with the invention of the inve	qualify as an independent inventor
opingation direct countract of ISM (ration to which I have assigned, granted, convo assign, grant, convey, or license any rights	reyed, or licensed or am under an in the invention is listed below:
No such person, concerr	n, or organization exists.	
Each such person, conce	ern, or organization is listed below.	
Separate verified statements as-		
mission dverring to their status a		
STATES OF STATES STATES	is application or patent, notification of any cha prior to paying, or at the time of paying, the on which status as a small entity is no longe	partiact of the icous for an area.
willful false statements and the like of Title 18 of the United States Co	s made herein of my own knowledge are true a to be true; and further that these statements we so made are punishable by fine or imprisonm de, and that such willful false statements ma reon, or any patent to which this verified state ICLA	ere made with the knowledge that ent, or both, under section 1001
Muleha Shulf	NAMEOFINVENTOR	NAME OF INVENTOR
Signature of inventor	Signature of inventor	Signature of inventor
Date	Date	Date

ting ting it.

Burden Hour Statement: This form is estimated to take 0.3 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents,

The state of the s	
mer and the state and the state of the state	i h
The first first first first to the first first first first first first	1, 2
And the state of t	i, î
the test of the contract of the test of the	i, e
The first test that the first test that	
The first test that the first test that	# 85 1. 83
THE TANK THE THE THE TANK THE	i sa
And the state that the state	
But the time that	
Bull of the Roll	11 84 11 84
	ijĦ
	الم
1: 100	
	11 12

VERIFIED STATEMENT CL (37 CFR 1.9(f) & 1.27(b))—II	•		Docket Number (Optional)			
Application or Patentee: Application or Patent No.:	Hole 1c	SHUKL plicalim	A etal.			
Filed or Issued:	6/7/00					
Title: / NCISION B	ASED F	IL TRATION	SEPARATION PIPETE TI			
As a below named inventor, I here 1.9(c) for purposes of paying redu						
the specification filed here	with with title as lis	ted above.				
the application identified al						
the patent identified above			,			
grant, convey, or license, any right	s in the invention to had made the inv	any person who would r ention, or to any conce	ation under contract or law to assign, not qualify as an independent inventor rn which would not qualify as a small CFR 1.9(e).			
Each person, concern, or organize obligation under contract or law to			onveyed, or licensed or am under an its in the invention is listed below:			
No such person, concern, or organization exists.						
Each such person, conce	rn, or organization	is listed below.				
Separate verified statements are re invention averring to their status as	equired from each r s small entities. (37	amed person, concern CFR 1.27)	ı, or organization having rights to the			
I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))						
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.						
AMITA M. SHU NAME OF INVENTOR	KLA					
Partalhula	NAMEOFINVENT	JK	NAME OF INVENTOR			
Signature of inventor	Signature of invent	or	Signature of inventor			
6/7/00						
Date	Date		Date			

Certificate of Mailing under 37 CFR 1.8



I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

> Assistant Commissioner for Patents Washington, D.C. 20231

Signature

ASHOR IC SHUKLA

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of mailing.

TITLE :

INCISION BASED FILTRATION / SEPARATION PIPETTE TIP

Invers: ASHOR IC SHUKLA, et al.
New application

Burden Hour Statement: This form is estimated to take 0.1 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer. Patent and Trademark Office Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents Washington, DC 20231.

TITLE: Incision-based Filtration/Separation Pipette Tip

INVENTORS: Ashok K. Shukla, Mukta M. Shukla and Amita M. Shukla, 10423 Popkins Court, Woodstock, MD 21163. Ph. (410) 465-2212

FIELD OF THE INVENTION

This invention relates to a pipette tip designed to perform filtration or sample separation on the basis of one or more perforations, holes or incisions performed on the tip. Such perforations, holes or incisions are large enough to permit the passage of fluids or smaller particles, but small enough to block the passage of solid materials or larger particles, such as those comprising chromatography media. Such a pipette tip can thus be used for the filtration or separation of samples without the use of a filter, secondary solid matrix or any other components needed to hold chromatography media and other solid matrices within the pipette tip during the separation process. The device described herein can be used for sample separation or purification using a vacuum, pressure, centrifugation, gravitation or other separation methods. The desired sample, containing bio-molecules such as DNA, proteins or other molecular components, is passed through the perforations, cuts or slits in said device during the separation process.

BACKGROUND OF THE INVENTION

Although a spectrum of analytical methods for small sample separation and purification have been developed, a number of problems, such as the slow speed of the separation process and

the loss of sample volume, limits the quality of currently available methods. In the present invention, we describe the use of a pipette tip, which has one or more perforations, incisions, or holes in the tip, designed for sample filtration or separation. The perforations, holes or incisions are of such dimensions that fluids and smaller particles can pass through them while larger particles are retained in said pipette tip. The application of such a device is useful for performing sample separation and filtration with or without chromatography and other separation media because it eliminates the need to place a filter or secondary solid matrices into the tip to retain said chromatography and other separation media within the tip during sample preparation. Depending on the specifications of the chromatography material, selected molecules from the sample can be separated or purified by binding to, or by being entrapped in, said material. The bound molecules can later be eluted from said chromatography material by the use of different solvents.

Filters and secondary solid matrices are traditionally used in separation columns, such as pipette tips, to retain the solid matrix or column material in said pipette tips or columns, while letting fluids and desired sample components flow through. Currently available sample preparation pipette tips rely on filters and secondary solid support matrices to hold chromatography and separation media in the tip while permitting selective components of the sample to pass through the lower end of the tip. The filters used in such devices may be made of silica, polypropylene, nylon, polytetrafluoroethylene or any other inert materials that do not react with the elution solution. The pore size of the filter material is smaller than the particle size of the solid matrix or chromatography material

placed above it so that the solid matrix or chromatography material is retained in the tip.

In pipette tips, or other separation/chromatography columns using filters, sample separation can be performed by centrifugation, gravitation, vacuum suction, pressure application or by syringe- or pipette-based sample delivery through the tip or column. Such methods are used for the separation and purification of small sample volumes of biomolecules such as proteins, peptides and DNA. The solid matrix or column material can consist of any material such as gelfiltration, affinity, ion-exchange, reverse-phase, and silica or modified-silica materials.

When sample volumes in the micro liter range are separated using currently available pipette tips and other separation/ chromatography columns, one of the commonly associated problems is sample loss during the separation process due to the retention of sample components on the filter or in the solid support matrix. Since the concentration of bio-molecules in micro volume samples is so small, the retention of molecules in the filter or secondary solid matrix can result in significant loss of the total sample volume. Also, since the volume of the filter or solid support matrix is often as large as the volume of the micro volume sample itself, the separation or chromatography process is adversely affected due to the large volume of the filter or solid support material through which the sample must pass during the separation process. The filter or solid support material may also absorb proteins or bio-molecules from the sample, resulting in lower than desired sample recovery.

Also, the filter material and solid matrix or column material may behave differently in different elution media, subsequently interfering with both the quality of the separation process and the volume of the sample retained. Furthermore, the presence of the filter material slows down the sample separation process because the sample is first passed through the column material and then the filter prior to the completion of sample separation. Additionally, the structure and design of many micro pipette tips, intended for micro-liter sample volumes, are not well suited to the addition of filters or secondary solid matrices into the tip.

The invention described and claimed herein comprises a pipette tip designed to perform filtration or sample separation on the basis of one or more perforations, incisions or holes performed on the tip for sample filtration or separation. The perforations, holes or incisions are of such dimensions that fluids and smaller particles can pass through them while larger particles are retained in said pipette tip. During the process of sample separation, performed by centrifugation, gravitation, vacuum suction, pressure application or by syringe-based sample delivery through the pipette tip described herein, the filter solid support matrix or column material is retained in said pipette tip while selected sample components pass through said perforation or incision.

The features of the present invention eliminate the need for filters or solid support matrices at the lower end of the pipette tip to support the chromatography material during sample separation. Thus, the present invention, as described herein, will result in higher sample recovery due to the absence of sample retention on a filter or solid support matrix. The

present invention will also eliminate separation problems associated with filter materials and solid support matrices interacting differently with alternate elution media, thus improving the quality of sample separation. The present invention also leads to more rapid sample preparation since the sample does not flow through a filter or solid support matrices as part of the separation process. Filters and solid support matrices reduce the rate of sample flow.

The various features of novelty, which characterize the invention, are pointed out with particularity in the claims annexed to and forming a part of this disclosure. For a better understanding of the invention, its advantages and objects, reference is made to the accompanying drawings and descriptive matter in which a preferred embodiment of the invention is illustrated.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and still other objects of this invention will become apparent, along with various advantages and features of novelty residing in the present embodiments, from study of the following drawings, in which:

Figure 1 is an expanded view of one embodiment of the pipette tip, according to the present invention.

Figure 2 is an expanded view of one embodiment of the pipette tip, according to the present invention, containing a chromatography material within it.

Figure 3 is an expanded view of one embodiment of a vertical cross-section of a incision/perforation at the bottom of the pipette tip, according to the present invention.

Figure 4 is an expanded view of one embodiment of a vertical cross-section of a incision/perforation on the lateral side of the pipette tip, according to the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring to the drawings, Figure 1 is an expanded view of one embodiment of the pipette tip (1), according to the present invention. The pipette tip (1), has an upper end (2) and a lower end (3). The lower end contains one or more perforations or incisions (4) designed to permit the selective passage of smaller particles or fluids through said perforations or incisions (4) while retaining larger particles in said tip (1). Said pipette tip (1) can be any type of holding unit such as a tube, housing, column, vial or any other type of holding unit suited to the sample preparation process. Said pipette tip (1) can be of any shape or size and both the upper end (2) and lower end (3) may be closed or open ends. Said pipette tip (1) can be made of one or more natural or synthetic materials including but not limited to polymers such as polytetrafluoroethylene, polypropylene, polyethylene, fluoropolymers (e.g. FEP), polysulfone, polyethersulfone, cellulose acetate, polystyrene, polystyrene/acrylonitrile copolymer, PVDF, and glass. Said pipette tip (1) can have a volume anywhere from 0.00001 to 100 milliliters.

Figure 2 is an expanded view of one embodiment of the pipette tip (1), according to the present invention, containing a chromatography material (5) within it. Said chromatography material can consist of one or more different types of chromatography or separation media including, but not limited to, chromatography silica, polystyrene, carbon, polymers, media, gels, bacteria, living cells, solid powders or any other media used for the purposes of sample filtration, separation or purification. The chromatography material (5) can also be composed of non-silica, polymer-based, active charcoal, zirconium, titanium or other materials.

The chromatography material (5) can also be a mix of materials with different particle sizes or different types of materials such as cation and anion exchange materials, affinity materials, and normal phase or reverse phase materials. Said chromatography or separation material (5) can be in any shape or form including but not limited to particle form, powder form, sheet form, woven, and non-woven form or in any other physical configuration suited to the design of the pipette tip and the experimental conditions. Furthermore, the particles of said chromatography or separation material (5) can be chemically or physically modified and may be porous or non-porous. The sizes of the inert or chromatography material particles can be from nanometers to micrometers.

Said chromatography or separation material (5) can be held within said pipette tip (1) through the use of a disc, filter or any other means suitable to the application. The passage of the sample through the pipette tip (1) can be performed using any relevant methods, including but not limited to, centrifugation,

gravitation, vacuum suction, pressure application or syringe-based sample delivery through said pipette tip. The sample components passed through the perforations/incisions (4) of the pipette tip (1) can be collected in any sample collection tube. The sample can be introduced into said pipette tip (1) either through placement of the sample through said upper end (2) or suction of the sample through said lower end (3).

Figure 3 is an expanded view of one embodiment of a vertical cross-section of a incision/perforation (4) at the bottom of the pipette tip (1), according to the present invention. Figure 4 is an expanded view of one embodiment of a vertical cross-section of a incision/perforation (4) on the lateral side of the pipette tip (1), according to the present invention. As is shown in figures 3 and 4, the chromatography material particles (5) are of such a shape and size that they will not be able to pass through the incision/perforation (4) in said pipette tip (1). Thus, during the process of sample separation performed by centrifugation, gravitation, vacuum suction, pressure application or by syringe-based sample delivery through the pipette tip described herein, the chromatography or separation material is retained in said pipette tip. Any other applicable methods can also be used to perform sample preparation and separation.

The incisions/perforations (4) can be made at the bottom tip or on the lateral sides of said lower end (3) of said pipette tip (1). The lower end (3) of said pipette tip (1) may have one or more incisions/perforations (4). The perforations/incisions can be any type of perforation or incision including, but not limited to, cracks, slits, cuts, holes, and orifices. The incisions/perforations (4) can be made

by any chemical or physical methods, including but not limited to, cutting with a knife, blade, or laser beam, applying heat or pressure, using chemical reactions, or using any other method that can be used to perforate, cut or crack the lower end of said pipette tip to permit the selective passage of particles or molecules through said lower end.

The incisions/perforations (4) can also be made through the use of a laser beam or other means not requiring direct physical contact between the perforating or incision-making device and the pipette tip (1) described in the present invention. The perforations or incisions (4) may be of any shape or size, depending on the specifications of said pipette tip (1), but are intended so as to permit the selective passage of materials through the lower end (3) of said pipette tip (1). Furthermore, the incisions/perforations (4) can be made during the molding process through which the pipette tip (1) is formed.

Multiple units of the pipette tip (1), according to the present invention, can be joined together to develop a system for the simultaneous preparation of multiple samples. Said pipette tips (1) can be joined together in any type of configuration including but not limited to 2-unit, 8-unit, 48-unit, 96-unit, 384-unit or 1536-unit formats. The pipette tip (1) either as a single unit or in the multi-unit system, can be combined with a piston or similar device designed to pull the sample into the tip or push the sample out of the tip to perform sample preparation. The sample can be introduced into or removed from the interior of said pipette tip (1) through any automatic (e.g. robotic) or manual methods relevant to the application.

The pipette tip described in the present invention has many small sample preparation, filtration and purification applications including but not limited to high throughput screening and the purification of DNA, proteins, peptides, lipids, carbohydrates, vitamins and other chemicals and biomolecules. Separation of sample components can be based on size, chemical properties or physical properties of the sample's component molecules and particles. Samples purified by these methods can be used for further analysis, through mass spectrometry, High Performance Liquid Chromatography (HPLC), electrophoresis, capillary electrophoresis, NMR, enzyme assays, protein binding assays and other chemical or biochemical reactions.

The broader usefulness of the invention may be illustrated by the following examples.

Example #1. Use of the Present Invention for Peptide Sample Preparation.

In this experiment, we used a 10-200 micro-liter micro pipette tip that was closed at its bottom end. An incision with approximate dimensions of 2 to 4 milli-meters in length, and 10 microns in width was made at the bottom end of the tip, using a sharp blade to create the incision. A 50 micro-liter slurry of C-18 column material (with particle sizes of 40-60 microns) was introduced into the tip through the top open end. The tip was attached to a pipette and pressure was applied through the pipette. The column material settled at the bottom of the pipette tip while the slurry water flowed through the slit.

A 20 micro-liter peptide solution containing buffer was pipetted on top of the C-18 column material bed in the pipette tip. Pressure was applied through the pipette and the sample fraction passing through the slit in the tip was collected in a separate collection tube. The peptide was retained in the tip while water and impurities passed through the incision. The column was washed with 20 micro-liters of water a few times and the peptide was then eluted from the column using 50 percent isopropanol. The purified peptide sample was then analyzed by HPLC.

While a specific embodiment of the invention has been shown and described in detail to illustrate the application of the principles of the invention, it is understood that the invention may be embodied otherwise without departing from such principles and that various modifications, alternate constructions, and equivalents will occur to those skilled in the area given the benefit of this disclosure and the embodiment described herein, as defined by the appended claims.




Figure 1




Figure 2




Figure 3




Figure 4

TO/SB/01	(6-95)
OMB 0651	

that has been mine for their or their And the second s

Type a plus sk	Approved for use through 9/30/98 OMB 0851-0032 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE					
0010/PTO U.S. Department of Commerce Rev. 6/95 Patent and Trademark Office		Attorney Docket Numb				
חבכו		First Named Inventor	ASHOK K. SHUKLA			
	ARATION FOR	COMPLE	TE IF KNOWN			
	Y OR DESIGN	Application Number				
PATEN	T APPLICATION	Filing Date	6/7/00			
Declaration OR Declaration Submitted Submitted after with Initial Filing Initial Filing	Group Art Unit					
	Examiner Name					

							
As a below named in	ventor, I hereby	declare that:					
My residence, post offi	ce address, and	citizenship are as stated	below next to my name				
I believe I am the ongit below) of the subject in	nal, first and sole natter which is da	inventor (if only one nam	he is listed below) or an o tent is sought on the inve	onginal, first and joint	inventor (if plural names are listed		
			-ILTRATIO		RATION		
PIPET	- - سرب	Ti P		7 3 5	7-70 () 67		
PIPETTE TIP.							
the specification of wi	nich	(Title o)	(the Invention)				
Is attached here							
OR							
was filed on (MM	noomm [35	United States Applic	ation Number or PCT international		
Application Number		and wa	s amended on (MM/DD/	m	(if applicable)		
I hereby state that I has amendment specifically	ve reviewed and	understand the contents	of the above identified s	pecification, including	the claims, as amended the any		
		· •.					
					Federal Regulations, §1.56		
					application(s) for patent or inventor's United States of America, listed		
below and have also ider application having a filing	TOTAL CONCER, DY 1	JUNEAUNG CHE DOX. 2017 YO	THEOR REPORTED THE ARREST	nt or inventor's certifi	Cate, or of any PCT in amational		
Prior Foreign Applicatio	T _e	Country	Foreign Filing D	ate Priority	Certified Copy Attached?		
Number(s)			(MM/DDYYY		YES NO		
		•					
		`			= = =		
			ntal priority sheet attache				
I hereby claim the benefit		Inited States Code ⁹ 119	(e) of any United States	provisional applicatio	n(s) listed below		
Application Number	H(\$)	Filing Date (A	AM/DOMMY)	1	nal provisional tion numbers		
			.	are liste	nd on a mental priority		
			- 1		ttached hereto.		
		I					

Burden Hour Statement: This form is estimated to take 4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington. DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Ņ
¥, ∰
1,4
i si
ą:
ľ

DE	01	AR	A	TI		M	ı
UE	LL	-AR	A	u	U I	N	ı

Page 2

<u></u>											
I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.55 which became available between the filing date of the prior application and the national or PCT international filing date of this application.											
	U.S. Parent Application PCT Parent				Parent Filing Date Parent Patent Nu					er .	
ļ	Number	NL	ımber		 '	(MM/DD/YY	11)		(if appli	cable)	
Addition	at U.S. or PCT international	application num	ibers are li	sted on	a supple	mental phonty s	heet attached	hereto			
	inventor, I hereby appoint the office connected therev		ney(s) and	Vor agen	it(s) to pr	rosecute this ap				in the Pater	nt
Fim Na				- 5-1-			c	ustomer o	x label		
List atto	omey(s) and/or agent(s) na	me and registration								Daniston	05
	Name		Registr Numi				Name			Registrati Numbe	
Additio	nal attorney(s) and/or a	gent(s) named	on a sup	plemer	ital she	et attached he	reto.				
Please direc	t all correspondence to:	Customer Number	or label				OR E	1	n correspond less below	ence	
Name	ASHOK	1<		SH	UK	LA					
Address	10423	POPK	· iNS		COU						
Address	WOOD STO	CIC									
City	WOOD STOC	.K				tate	MD	Z	IP .	21113	
Country	USA		phone	416		70100	Fa		10 997	77104	
be true; and imprisonmen	I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.										
Name of	Sole or First Invent	or:			中	A petition has	s been filed	for this u	insigned in	ventor	
Given Name	ASHOIC		Middle Initial	14	Family Name	St	TUK	LA	Sut e.g.		
inventor's Signature	O	72		MD		·	······································	Date	613	1/00	
Residence:	CHY WOODS	TOCK	State	mb	ountry	U	ک		Citizensi	# P U	2
Post Office	Address 1D 42	3 PO	PK	ins		COURT	-	_			
Post Office Address											
City W	OOD STOCK	State M)	Zip	211	63	Country	U	2		Applicant Authority	
Additi	onal inventors are be	ing named o	n supple	menta	l shee	t(s) attache	d hereto				

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet

Name of Additional Joint Inventor, if any: A person has been filed for this unsigned inventor							
Given Name	MUKTA	Middle	· M.			HUKLA	Suma
	Muleta 8	`	7			Date	617/2000
Residence: City	WOOD STOCK	< St	m [M]	Country	U	2	Citizanania C C
Post Office Addr	10423	POP	Kin	15	600	RT	
Post Office Addr	714						
	STOCK	State MD	zo 2	1163	Country	2.0	Applicant Authorny
	ditional Joint Invent					seen filed for this ur	nsigned inventor
Given Name	AMITA	Middle Initial	M	Family Name	اک	HUKLA	Summa e.g. ir
inventor's Signature	ante Sh	hh				Date	6/7/2000
Residence: City	WOOD STOCK	. s	- M)	Country	U.	2	Citizanship U
Post Office Addr	10423	POP	Kin	٦.	(00/	2 T	
Post Office Addr	***						
	STOCK	State MD	Zp 2	1163		20	Applicant Authority
Name of Ad	ditional Joint Invent		ddie	Family	etton has t	peen filed for this ur	Surfac
Name		i	tial	Name			e.a. ir
Inventor's Signature						Cate	
Residence: City		3	tate	Country			Citizenship
Post Office Addr	16.8						
Post Office Addr	HLS .						
CRY		State	Zip		Country		Applicant Authority
Name of Add	ditional Joint Invent	or, if any:		A	petition has	been filed for this u	nsigned inventor
Given Name		[-	Middle nittal	Family Name			Suffix e.g. Jr.
Inventor's Signature Dete							
Residence: City		St		Courtry			Citteenship
Post Office Address							
Post Office Address							
City		State	Zie		Country		Applicant Authority
Addition	al inventors are being	named on	supplem	ental she	et(s) attac	hed hereto	

